			$W_{i} \sim$
Notice of Allowability	Application No.	Applicant(s)	11
	09/845,317	NODA ET AL.	, V
	Examiner	Art Unit	
	Edward M. Johnson	1754	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>The amendment and RCE filed on 3/22/04</u> .			
2. The allowed claim(s) is/are 1-6 and 8, which have been renumbered 1-7, respectively.			
3. The drawings filed on are accepted by the Examiner.			
 4.			
·			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	Paper No./Mail Da	(PTO-413), te ment/Comment	·

Application/Control Number: 09/845,317

Art Unit: 1754

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: the honeycomb carrier having 0.5-10.0% Si in the thin partition walls, which make up the honeycomb in the catalyst for purifying exhaust of the instant claim 1 would not have been obvious to one of ordinary skill at the time the invention was made.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edward M. Johnson whose telephone number is 571-272-1352. The examiner can normally be reached on M-F 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley S. Silverman can be reached on 571-272-1358. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/845,317

Art Unit: 1754

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

EMJ

STANLEY S. SILVERMAN
SUPERVISORY PATENT EXAMINER